

Uniclass L331	EPIC C331
CI/SfB	Yq4

March 2005

# Post Mix

## Product Datasheet

## EuroMix Dry Mortar System

### 1. Identification

#### 1.1 Introduction

EuroMix Post Mix is a fast setting concrete specially designed to fix all wooden and metal posts without any mixing required.

#### 1.2 Authority

EuroMix Post Mix is manufactured under a BSI/NSAI registered ISO 9001 Quality System.

Materials used comply with the following standards:

Sand	BS EN 13139:2002
Cement	BS EN 197-1: 2000 (UK) IS EN 197-1: 2000 (Ireland)
Aggregate	BS EN 12620: 2002

Admixtures do not contain calcium chlorides. Water added on site should be clean and free from impurities.

#### 1.3 General Advantages

- Time saving, fast setting concrete for fixing posts.
- No mixing required.

### 2. Description

#### 2.1 Manufacture

Raw materials and end products are subject to regular quality control procedures and testing.

Dried sand and other materials are weighed and mixed under computer control with rigorous quality assurance procedures.

Although concrete is traditionally specified by volume, it is generally accepted that batching by weight will give an end product of greater consistency.

#### 2.2 Colours

EuroMix Post Mix is available in standard cement grey.

### 3. Instructions for use

1. Dig a hole to specified dimensions according to post size (see table on reverse).



2. Fill the hole half full with water and place the post in the hole.



3. Pour Post Mix evenly around the post up to the water surface. If any dry powder is still visible add more water.



4. Adjust the level and position of the post as required and ensure it is supported in this position for at least five minutes.



5. When set, cover the top of the hole with soil, grass or decorative pebbles.



# EuroMix

Post Size	Hole size (width x depth)	Number of bags required
<b>Round 50mm</b>	150mm x 450mm	1/2 bag
	200mm x 300mm	2/3 bag
	200mm x 600mm	1 1/2 bags
<b>Square 75mm</b>	150mm x 600mm	1/2 bag
	200mm x 600mm	1 bag
	250mm x 450mm	1 1/2 bags
	250mm x 600mm	2 bags
	300mm x 600mm	3 bags
<b>Square 100mm</b>	200mm x 750mm	1 bag
	250mm x 450mm	1 1/2 bags
	250mm x 750mm	2 bags
	300mm x 450mm	2 bags
	300mm x 750mm	3 1/2 bags

Above dimensions and usage are indications.

The size of the hole depends on the height of the post, the load it will support and the soil condition.

## 5. Prices and Conditions of Sale

Our Sales Office will be pleased to provide quotations for specific projects. All quotations are subject to our Conditions of Sale - a copy of which is available on request.

## 6. Supply

EuroMix Post Mix is available throughout the market area of each plant.

## 7. Health & Safety

For health and safety information - see Material Safety Datasheet.

## 8. Technical Services

Our Technical Advisory Service is available to give expert advice on the specification or use of EuroMix Post Mix.



Helpline: **0845 850 9090 (UK) 01 630 2732 (Ireland)**

Visit us at: **[www.euromix.com](http://www.euromix.com)**

E-mail: **[info@cpieuromix.com](mailto:info@cpieuromix.com)**



FM 60139

